

STRETCHERS - RESCUE AND FIRST AID EQUIPMENT

STRETCHER (DOUBLE HYDRAULIC) / Code- TD -0142



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is coated with wooden material.
- Backrest section adjustable with manual mechanism.
- Height, trendelenburg and reverse trendelenburg movements adjustable with two hydraulic pistons.
- Height, trendelenburg and reverse trendelenburg adjustment is made with double pedal.
- Bottom chassis of stretcher is coated with ABS plastic material.
- Side rails are made of aluminum, closed and opened comfortably by means of the latch at the top.
- Stretcher platform surface has vinlex covered foam mattress.
- There is one height adjustable serum mounting bracket.
This strap can be attached to the four corners of the stretcher.
- Four 360 degree swivel casters, ABS covered, antistatic property, central directional lock, pedal-controlled.
- There are four damper wheels, made up of PVC, elastic, can absorb the impacts, in four corners of the stretcher.
- All metal parts are coated with electrostatic powder paint.

OPTIONAL ACCESSORIES

- Safety belt
- X-Ray film holder



OVERALL DIMENSIONS

Width: 670mm – Length: 2000mm - Height: 750-1050mm

MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



TRETCHSER (HYDRAULIC) / Code- TD-0143



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is coated with wooden material.
- Backrest section adjustable with manual mechanism.
- X-Ray film holder under the stretcher mattress platform.
- Height adjustable with hydraulic piston.
- Height adjustment is made with double pedal.
- Trendelenburg and reverse trendelenburg movements adjustable with gas piston.
- Bottom chassis of stretcher is coated with ABS plastic material.
- Side rails are made of aluminum, closed and opened comfortably by means of the latch at the top.
- Stretcher platform surface has vinlex covered foam mattress.
- There is one height adjustable serum mounting bracket. This strap can be attached to the four corners of the stretcher.
- Four 360 degree swivel casters, two have brakes.
- There are four damper wheels, made up of PVC, elastic, can absorb the impacts, in four corners of the stretcher.
- All metal parts are coated with electrostatic powder paint.

OPTIONAL EQUIPMENT

- Safety belt


OVERALL DIMENSIONS

Width: 670mm – Length: 2000mm - Height: 620-900mm



MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



Head
طرف الرأس

Kidney
ترندلنبورغ

Height
ارتفاع

Trendelenburg
ترندلنبورغ

Reverse
Trendelenburg
ترندلنبورغ عكسي

STRETCHER (HYDRAULIC) / Code- TD-0144



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is coated with wooden material.
- Backrest section adjustable with manual mechanism.
- Height adjustable with hydraulic piston.
- Height adjustment is made with double pedal.
- Trendelenburg and reverse trendelenburg movements adjustable with gas piston.
- Bottom chassis of stretcher is coated with ABS plastic material.
- Side rails are made of aluminum, closed and opened comfortably by means of the latch at the top.
- Stretcher platform surface has vinlex covered foam mattress.
- There is one height adjustable serum mounting bracket. This strap can be attached to the four corners of the stretcher.
- Four 360 degree swivel casters, two have brakes.
- There are four damper wheels, made up of PVC, elastic, can absorb the impacts, in four corners of the stretcher.
- All metal parts are coated with electrostatic powder paint

OPTIONAL EQUIPMENT

- Safety belt

OVERALL DIMENSIONS

Width: 670mm – Length: 2000mm - Height: 620-900mm

MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



STRETCHER AND INTERVENTION TABLE (HYDRAULIC) / Code-TD-0145



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is coated with metal material.
- Backrest section adjustable with gas piston.
- Height adjustable with hydraulic piston.
- Height adjustment is made with double pedal.
- Trendelenburg and reverse trendelenburg movements adjustable with gas piston.
- Reverse V movement adjustable with gas piston.
- There are metal side rails, can be opened and closed next to both sides of the stretcher.
- Stretcher platform surface has vinlex covered foam mattress.
- There are accessory rails on both sides of the stretcher.
- There is one arm support bracket.
- There is a serum mounting bracket.
This strap can be attached to both sides at the bedside of the stretcher.
- Material rack located at the bottom of stretcher.
- Four 360 degree swivel casters, two have brakes.
- There are four damper wheels, made up of PVC, elastic, can absorb the impacts, in four corners of the stretcher.
- All metal parts are coated with electrostatic powder paint.

OPTIONAL EQUIPMENT


- Safety belt

OVERALL DIMENSIONS

Width: 670mm – Length: 2000mm - Height: 620-900mm

MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



STRETCHER (HYDRAULIC) / Code- TD-0146



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is coated with metal material.
- Backrest section adjustable with gas piston.
- Height adjustable with hydraulic piston.
- Height adjustment is made with double pedal.
- Trendelenburg and reverse trendelenburg movements adjustable with gas piston.
- There are metal side rails, can be opened and closed next to both sides of the stretcher.
- Stretcher platform surface has vinlex covered foam mattress.
- There is a serum mounting bracket. This strap can be attached to both sides at the bedside of the stretcher.
- Four 360 degree swivel casters, two have brakes.
- There are four damper wheels, made up of PVC, elastic, can absorb the impacts, in four corners of the stretcher.
- All metal parts are coated with electrostatic powder paint

OPTIONAL EQUIPMENT

- Safety belt

OVERALL DIMENSIONS


Width: 670mm – Length: 2000mm - Height: 620-900mm

MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



Head
طرف الرأس



Height
ارتفاع



Trendelenburg
ترندلنبورغ



Reverse
Trendelenburg
ترندلنبورغ عكسي

AMBULANCE STRETCHER / Code- TD-0147



PRODUCT DETAILS

- Made of special alloy Etial 61 aluminium.
- Can easily be used by one person.
- Automatic folding leg mechanism is available.
- 2 fixed, 2 rotating 125 mm diameter wheels are available.
- There is brake System on fixed wheels.
- Backrest can be adjustable between angle of 0 ° - 75 °.
- One step foot lift System.
- PVC stretcher surface coating allows CPR application.
- Adjustable breaking mechanism to be able to lie on the ground.
- Railings foldable to the sides.
- Automatic locking rail and lock System.
- Anti-bacterial, seamless, flame retardant featured stretcher mattress.



OPTIONAL EQUIPMENT

- Top separation
- MR compliance (X-ray permeability)

OVERALL DIMENSIONS

Width: 550mm (±50mm) – Length: 1935mm (±50mm)
Height: 845mm (±50mm)
Weight: 38 Kg



Head
طرف الرأس

Foot
طرف الأرجل

STRETCHER (SURGERY TRANSFER) / Code- TD-0148



PRODUCT DETAILS

- Frame made of metal.
- Total consists of three parts.
- Stretcher mattress platform is coated with wooden material.
- Backrest section adjustable with manual mechanism.
- There are metal, chrome-nickel coated, side rails, can be opened and closed next to both sides of the stretcher.
- Stretcher platform surface has polyester covered foam mattress.
- There is one sterile environment trolley.
- There is one outdoor trolley.
- Trendelenburg movement adjustable with gas piston.
- There is a serum mounting bracket.
This strap can be attached to both sides at the bedside of the stretcher.
- Material rack located at the bottom of both stretcher.
- Oxygen cylinder holder located at the bottom of both stretcher.
- Eight 360 degree swivel casters, with central lock.
- There are four damper wheels, made up of PVC, elastic, can absorb the impacts, in four corners of the stretcher.
- All metal parts are coated with electrostatic powder paint.

OPTIONAL EQUIPMENT

- Safety belt
- X-Ray film holder

OVERALL DIMENSIONS

COMPLETE: Width: 650mm – Length: 3900mm – Height: 850mm
SINGLE : Width: 650mm – Length: 1960mm – Height: 850mm

MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



Head
طرف الرأس



Trendelenburg
ترنلندبورغ

STRETCHER (GENERAL USE) / Code- TD-0149



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is coated with metal material.
- Backrest section adjustable with gas piston.
- Trendelenburg movement adjustable with gas piston.
- There are metal, chrome-nickel coated, side rails, can be opened and closed next to both sides of the stretcher.
- Stretcher platform surface has vinlex covered foam mattress.
- There is a serum mounting bracket.
This strap can be attached to both sides at the bedside of the stretcher.
- Four 360 degree swivel casters, two have brakes.
- There are four damper wheels, made up of PVC, elastic, can absorb the impacts, in four corners of the stretcher.
- All metal parts are coated with electrostatic powder paint.

OPTIONAL EQUIPMENT

- Safety belt

OVERALL DIMENSIONS

Width: 650mm – Length: 2000mm - Height: 850mm

MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



Head
طرف الرأس



Trendelenburg
ترندلنبورغ

STRETCHER (GENERAL USE) / Code- TD-0150



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is coated with wooden material.
- Backrest section adjustable with manual mechanism.
- Trendelenburg movement adjustable with gas piston.
- There are metal, chrome-nickel coated, side rails, can be opened and closed next to both sides of the stretcher.
- Stretcher platform surface has polyester covered foam mattress.
- There is a serum mounting bracket. This strap can be attached to both sides at the bedside of the stretcher.
- Material rack located at the bottom of stretcher.
- Four 360 degree swivel casters, two have brakes.
- There are four damper wheels, made up of PVC, elastic, can absorb the impacts, in four corners of the stretcher.
- All metal parts are coated with electrostatic powder paint.

OPTIONAL EQUIPMENT

- Safety belt

OVERALL DIMENSIONS

Width: 650mm – Length: 1960mm - Height: 850mm

MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



Head
طرف الرأس

Trendelenburg
ترندلنبورغ

STRETCHER / Code- TD-0151



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is coated with metal material.
- Backrest section adjustable with manual mechanism.
- There are metal, chrome-nickel coated, side rails, can be opened and closed next to both sides of the stretcher.
- Stretcher platform surface has polyester covered foam mattress.
- Stretcher platform can be separated from the bottom trolley.
- Material rack located at the bottom of stretcher.
- Oxygen cylinder holder located at the bottom of stretcher.
- There is a serum mounting bracket.
This strap can be attached to both sides at the bedside of the stretcher.
- Four 360 degree swivel casters, two have brakes.
- All metal parts are coated with electrostatic powder paint.

OPTIONAL EQUIPMENT

- Safety belt

OVERALL DIMENSIONS

Width: 660mm – Length: 2130mm - Height: 870mm

MATTRESS PLATFORM

Width: 600mm – Length: 1850mm



Head
طرف الرأس

SCOOP STRETCHER / Code- TD-0152



PRODUCT DETAILS

- It's made of special alloy of aluminum in ISO 9001: 2008 quality standard.
- Allows the patient to be transported without being moved after the accident.
- Using aluminium wings separated in two piece, the patient may be scooped up without moving, can be carried onto a main stretcher.
- It can be hanged in the appropriate section of vehicle by folding.
- Length of the stretcher is adjustable from the middle section according to the patient s height, if desired.

OPTIONAL EQUIPMENT

- Safety belt

OVERALL DIMENSIONS

Max. Length: 2000mm – Min. Length: 1660mm
Width Foot Section: 420mm – Width Head Section: 300mm
Weight: 10 kg

STRETCHER (CONVERTIBLE TO CHAIR) / Code- TD-0153



PRODUCT DETAILS

- Folding stairs chair is made of special alloy of aluminum in ISO 9001: 2008 quality standard.
- Stretcher can be easily assembled to the ambulance due to its structural features.
- Stretcher mattress is made of stain repellent, sturdy waterproof vinyl material.
- There are 2 patient safety belt, 1 foot belt on the stretcher.
- It can be locked in chair position.
- It can be used as a flat stretcher.
- It can be used in patient transfer on the stairs.

OVERALL DIMENSIONS

Max. Length: 1880mm – Min. Length: 1350mm
Height Chair: 1350mm – Height Stretcher: 210mm
Width: 525mm - Weight: 12 kg
Loading Capacity: 160 kg

SAHRA STRETCHER / Code- TD-0154



PRODUCT DETAILS

- Suitable to use for Sahra
- Made of special alloy Etial 61 aluminium.
- Can be used in first aid cabinets of factories.
- Foldable in four.

OVERALL DIMENSIONS

Width: 500mm – Length: 1980mm – Height: 180mm
Weight: 7 Kg

STRETCHER (FOLDING) / Code- TD-0155



PRODUCT DETAILS

- Frame made of metal.
- Stretcher mattress platform is made of polyester canvas fabric.
- Backrest section adjustable with manual mechanism.
- Legs and body are foldable.
- All metal parts are coated with electrostatic powder paint.

OPTIONAL EQUIPMENT

- Safety belt

OVERALL DIMENSIONS

Width: 590mm – Length: 2000mm – Height: 260mm

SPINAL BACKBOARD (PLASTIC) / Code- TD-0156



PRODUCT DETAILS

- ISO 9001: 2008 quality standards, including high resistance to breakage and cracking, is made of special plastic material.
- Stain repellent surface-coating material is available on the surface.
- Special pattern on the surface to prevent slippage of patient from the spinal backboard.
- It can be used over the sea and in all places exposed to water.
- 3 safety belts are available to secure the patient.
- X-ray is permeable.
- There are special sections for head fixation system.
- There are hand grips, 5 pieces on the left, 5 pieces on the right and also belt slots on the spinal backboard.

OPTIONAL EQUIPMENT

- Head stabilizer

OVERALL DIMENSIONS: ADULT TD-0156

Width: 440mm – Length: 1830mm – Height: 40mm
Weight: 7,5 kg

SPINAL BACKBOARD (PLASTIC) / Code- TD-0157



PRODUCT DETAILS

- ISO 9001: 2008 quality standards, including high resistance to breakage and cracking, is made of special plastic material.
- Stain repellent surface-coating material is available on the surface.
- Special pattern on the surface to prevent slippage of patient from the spinal backboard.
- It can be used over the sea and in all places exposed to water.
- 3 safety belts are available to secure the patient.
- X-ray is permeable.
- There are special sections for head fixation system.
- There are hand grips, 5 pieces on the left, 5 pieces on the right and also belt slots on the spinal backboard.

OPTIONAL EQUIPMENT

- Head stabilizer

OVERALL DIMENSIONS:

PEDIATRIC TD-0157

Width: 415mm – Length: 1245mm – Height: 33mm
Weight: 4 kg

SPINAL BACKBOARD (WOODEN) / Code- TD-0158



PRODUCT DETAILS

- It can be used over the sea and in all places exposed to water.
- Made of light wood..
- 3 safety belts are available to secure the patient.
- X-ray is permeable.
- There are hand grips, 5 pieces on the left, 5 pieces on the right and also belt slots on the spinal backboard.

OPTIONAL EQUIPMENT

- Head stabilizer

OVERALL DIMENSIONS:

ADULT TD-0158

Width: 540mm – Length: 1840mm – Height: 20mm

SPINAL BACKBOARD (WOODEN) / Code- TD-0159



PRODUCT DETAILS

- It can be used over the sea and in all places exposed to water.
- Made of light wood..
- 3 safety belts are available to secure the patient.
- X-ray is permeable.
- There are hand grips, 5 pieces on the left, 5 pieces on the right and also belt slots on the spinal backboard.

OPTIONAL EQUIPMENT

- Head stabilizer

OVERALL DIMENSIONS:

PEDIATRIC TD-0159

Width: 410mm – Length: 1250mm – Height: 20mm

BASKET STRETCHER / Code- TD-0160



PRODUCT DETAILS

- One-piece outer body made of PP Plastics.
- Aluminum alloy frame that provides support to the outer body.
- Hand holding space on the right and left side.
- UV light, dust and corrosion resistant sturdy body.
- Lifting column rings produced with steel metal.
- Non-slip surface used for fixing patients.
- Skid Suitable for use in snowy and rocky areas.

OVERALL DIMENSIONS

Width: 620mm – Length: 2170mm – Height: 185mm
Weight: 14 kg

OPTIONAL EQUIPMENT

- **LIFTING BELT**
 - 4 steel carbine and steel centering ring
 - 2 tons lifting capacity special belt system
- **WATER UNINSTALL SUPPORT:**
 - Basket Stretcher Floatation Pads
 - made of polyurethane material.
 - easy to install.



HEAD STABILIZER / Code- TD-0161



PRODUCT DETAILS

- Made of plastisol coated polyurethane material.
- There is open area at ear level.
- Head and chin straps are available.
- Waterproof.
- It is suitable for use with all backboards.

VACUUM STRETCHER / Code- TD-0162



PRODUCT DETAILS

- Made of private manufacturing polyurethane-coated fabric
- It is possible to fix without moving the injured.
- Internal filling material is made from polystyrene granules.
- X-ray is permeable.
- Safety belt.
- Provides the ability to transfer, by fixing the whole body of the patient.
- Vacuuming and blowing featured vacuum pump.
- 6 right and 6 left, a total of 12 handle.
- Air miss prohibitive special valve System.
- Anti-bacterial, seamless, flame retardant fabric.

OVERALL DIMENSIONS

Width: 1000mm – Length: 2000mm – Height: 70mm

Weight: 7 Kg



INFLATABLE SPLINT SET / Code- TD-0163



PRODUCT DETAILS

- Durable P.V.C.
- Zippers and airtight valves.
- X-ray is permeable.
- Splint inflation pump.
- Special bag.
- Full arm.
- Half arm
- Hand-wrist.
- Full leg.
- Half leg.
- Foot-ankle

TRACTION SPLINT SET / Code- TD-0164



PRODUCT DETAILS

- Traction on the leg bone fracture.
- It prevents tissues from the damage of broken bone ends.
- Length adjustable telescopic aluminum chassis.
- Fixing leg tapes.
- Automatic tensioner reel.
- Carrying bag

ADULT:

OVERALL DIMENSIONS

Width: 185mm – Length: 1240-1440mm

Weight: 3,5 Kg

PEDIATRIC:

OVERALL DIMENSIONS

Width: 185mm – Length: 800-1000mm

Weight: 3,5 Kg

KED EXTRICATION VEST/ Code- TD-0165



PRODUCT DETAILS

- PVC rugged 1100 denier polyester fabric.
- Special carrying bag.
- Special color-coded belt System.
- X-ray is permeable.
- Suitable for male and female anatomy.
- Anti-shock trousers, suitable for use with the defibrillator.
- Along with head fixing tape, a special pad and carrying bag..